





注) 本仕様については、予告なしに変更する場合があります。




		尺 寸	1/1	工場 番 号	LM100FC
		機 種 名	1.1"	F3.5	f=100mm
		機 種 番	LM100FC24M 外觀図		
2022.9.9	作成年月日				

Field Curvature



Field units changed to field angle

Distortion




Field Curvature / F-Tan(Theta) Distortion

LM100FC24M (f=100mm F3.5)

Maximum Field is 4.226 Degrees.

Wavelengths: 0.588






Polychromatic Diffraction MTF

LM100FC24M (f=100mm F3.5)

Data for 0.4358 to 0.6563 μm .

Surface: Image






Relative Illumination

LM100FC24M (f=100mm F3.5)

Wavelength: 0.587562 μm



LM100FC24M Transmission





MACHINE VISION SHOP

FOR ALL YOUR VISION PRODUCTS

Thank you for downloading this document from
www.machine-vision-shop.com

If you have any questions, you need help composing the
right package for your application or do you want to order?

Feel free to contact us via e-mail at
sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Cromptoets



Machine Vision Shop

Trade name of Vision Consultancy BV

Robert Schumandomein 2
6229 ES Maastricht
The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl
www.machine-vision-shop.com

Scan me to visit
machine-vision-shop

