





2/3" 1.4/12mm C		2/3"	1/1.8"	1/2"
FOCAL LENGTH		f=12mm		
MAX. DIAMETER (RATIO)		F=1:1.4~16		
PICTURE SIZE		6.6x8.8mm	5.4x7.2mm	4.8x6.4mm
ANGLE	VER. ANGLE	31.7°	25.9°	23.0°
	HOR. ANGLE	42.5°	34.6°	30.7°
	DIA. ANGLE	53.7°	43.5°	38.6°
DISTORTION (TV)		-2.5%		
SHOOTING RANGE AT MINIMUM FOCUS DISTANCE	VER.	59.4mm	48.1mm	42.6mm
	HOR.	81.1mm	65.1mm	57.5mm
	DIA.	105.1mm	83.2mm	73.0mm
MINIMUM FOCUS DISTANCE		0.1m		
FLANGE BACK		17.526mm in air		
BACK FOCUS		11.1mm in air		
FILTER SCREW SIZE		M27x0.5		
FRONT/REAR EFFECTIVE DIA.		FRONT ϕ 12.3mm		REAR ϕ 11.7mm
MOUNT		C-MOUNT		
EXIT PUPIL		-32.5mm		
TEMPERATURE RANGE		-10~+50°C		
STORAGE TEMPERATURE RANGE		-20~+60°C		
RESOLUTION CENTER/CORNER		CENTER 100lp/mm		CORNER 40lp/mm
WEIGHT		60 g		

NOTE: Specifications and availability are subject to change without notice
 注) 本仕様については、予告なしに変更する場合があります。



		尺 度	1/1	工場 番号	FA638NCN
		機種 名	1" F1.4 f=12mm		
2014.12.27	更新	機種 番	LM12JC 外観図		
2013.4.15	作成年月日				



Polychromatic Diffraction MTF


LM12JC (12mmF1.4)

Data for 0.4358 to 0.6563 μm .
Surface: Image






LM12JC (638) Transmission






LM12JC distortion





LM12JC relative illumination





VISION CONSULTANCY
MAKING THE UNSEEN VISIBLE

Thank you for downloading this document from
www.machine-vision-shop.com

If you have any questions, you need help composing the
right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Cromptoets



VISION CONSULTANCY

Robert Schumandomein 2
6229 ES Maastricht
The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl

Scan me to visit
machine-vision-shop

