






LM16JC distortion



LM16JC relative illumination






2/3" 1.4/16mm C		2/3"	1/1.8"	1/2"
FOCAL LENGTH		f=16mm		
MAX. DIAMETER (RATIO)		F=1:1.4~16		
PICTURE SIZE		6.6x8.8mm	5.4x7.2mm	4.8x6.4mm
ANGLE	VER. ANGLE	22.8°	18.7°	16.6°
	HOR. ANGLE	30.5°	23.8°	22.2°
	DIA. ANGLE	38.3°	31.2°	27.7°
DISTORTION (TV)		-1.5%		
SHOOTING RANGE AT MINIMUM FOCUS DISTANCE	VER.	82.6mm	67.3mm	59.6mm
	HOR.	111.8mm	90.6mm	80.1mm
	DIA.	142.7mm	114.7mm	101.2mm
MINIMUM FOCUS DISTANCE		0.2m		
FLANGE BACK		17.526mm in air		
BACK FOCUS		12.1mm in air		
FILTER SCREW SIZE		M27x0.5		
FRONT/REAR EFFECTIVE DIA.		FRONT ϕ 12.0mm		REAR ϕ 12.8mm
MOUNT		C-MOUNT		
EXIT PUPIL		-48.9mm		
TEMPERATURE RANGE		-10~+50°C		
STORAGE TEMPERATURE RANGE		-20~+60°C		
RESOLUTION CENTER/CORNER		CENTER 100lp/mm		CORNER 40lp/mm
WEIGHT		55 g		

NOTE: Specifications and availability are subject to change without notice

注) 本仕様については、予告なしに変更する場合があります。



		尺 度	1/1	工場 番号	FA970NCN
		機種 名	1" F1.4 f=16mm		
2014.12.27	更新	機種 番	LM16JC 外観図		
2013.4.15	作成年月日				



Polychromatic Diffraction MTF


LM16JC (16mmF1.4)

Data for 0.4358 to 0.6563 μm .
Surface: Image





LM16JC (970) Transmission





MACHINE VISION SHOP

FOR ALL YOUR VISION PRODUCTS

Thank you for downloading this document from
www.machine-vision-shop.com

If you have any questions, you need help composing the
right package for your application or do you want to order?

Feel free to contact us via e-mail at
sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Cromptoets



Machine Vision Shop

Trade name of Vision Consultancy BV

Robert Schumandomein 2
6229 ES Maastricht
The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl
www.machine-vision-shop.com

Scan me to visit
machine-vision-shop

