





LM25JC distortion






LM25JC relative illumination



Relative Illumination




2/3" 1.6/25mm C		2/3"	1/1.8"	1/2"
FOCAL LENGTH		f=25mm		
MAX. DIAMETER (RATIO)		F=1:1.6~16		
PICTURE SIZE		6.6x8.8mm	5.4x7.2mm	4.8x6.4mm
ANGLE	VER. ANGLE	15.7°	12.9°	11.4°
	HOR. ANGLE	21.0°	17.2°	15.3°
	DIA. ANGLE	26.3°	21.5°	19.1°
DISTORTION (TV)		-0.6%		
SHOOTING RANGE AT MINIMUM FOCUS DISTANCE	VER.	53.7mm	43.8mm	38.9mm
	HOR.	72.1mm	58.7mm	52.0mm
	DIA.	91.1mm	73.8mm	65.3mm
MINIMUM FOCUS DISTANCE		0.2m		
FLANGE BACK		17.526mm in air		
BACK FOCUS		10.3mm in air		
FILTER SCREW SIZE		M27x0.5		
FRONT/REAR EFFECTIVE DIA.		FRONT ϕ 14.6mm		REAR ϕ 10.7mm
MOUNT		C-MOUNT		
EXIT PUPIL		-28.6mm		
TEMPERATURE RANGE		-10~+50°C		
STORAGE TEMPERATURE RANGE		-20~+60°C		
RESOLUTION CENTER/CORNER		CENTER 100lp/mm		CORNER 40lp/mm
WEIGHT		55 g		

NOTE: Specifications and availability are subject to change without notice
 注) 本仕様については、予告なしに変更する場合があります。



		尺 度	1/1	工場 番号	FA640NCN
		機種 名	1" F1.6 f=25mm		
2014.12.27	更新	機種 番	LM25JC 外観図		
2013.4.15	作成年月日				



Polychromatic Diffraction MTF


LM25JC (25mmF1.6)

Data for 0.4358 to 0.6563 μm .
Surface: Image





LM25JC Transmission





MACHINE VISION SHOP

FOR ALL YOUR VISION PRODUCTS

Thank you for downloading this document from
www.machine-vision-shop.com

If you have any questions, you need help composing the
right package for your application or do you want to order?

Feel free to contact us via e-mail at
sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Cromptoets



Machine Vision Shop

Trade name of Vision Consultancy BV

Robert Schumandomein 2
6229 ES Maastricht
The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl
www.machine-vision-shop.com

Scan me to visit
machine-vision-shop

