


## BHDS-00-070-1-G-24V

## **Lighting Dimension**



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	90 g
Length / Outer Diameter	98.5 mm
Width / Inner Diameter	84.5 mm
Thickness / Height	5.3 mm



## BHDS-00-070-1-G-24V

Optical Information						
Part Number		BHDS-00-070-1-G-24V				
LED Color			GREEN			
	(nm)		525			
Wavelength		5720		4970		
Intensity (±15%)	(Lux)		5520			
Working Distance	(mm)	5	10	15		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)					
Active Width / Inner Diameter	(mm)		70			
Emission angle	(deg.)	(deg.) 0				
Eye Safety Class ( IEC62471 )	EXEMPT					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)	l	24V ± 2%				
Continuous Current	(mA)		90			
Power Consumption	(W)		2.16			
Lighting casing temperature,			-			
Operating after 60 minutes	°C		46.2			
operating arter of minutes	40.2					
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage		163				
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)	mA) 270				
(Constant current power supply)	(	to the state of th				
Max. Trigger Pulse Duration Duty Cycle	(msec) 10					
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ARGORDA TO MACHINE PART FOR DETER REAL DISSIPATION  ANG, ST, SD and SDA Series				
CE Conformity	YES					
RoHS Compliance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	/m1	<del> </del>				
	(mm)	Die	500	Cable Cales		
Pin Configuration :		Pin	Signal	Cable Color		
	<u> </u>	1	LED+	RED		
	ļ	2	N.C.			
	<u> </u>	3	LED -	WHITE		
		A A A				
Application						
Illumination Type	Backlight Illumination					
Applicattion Use	Lead frame inspection, shape recognition, size measurement.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



## **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

