


BHDS-00-25X36-1-B-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	27 g
Length / Outer Diameter	43.5 mm
Width / Inner Diameter	38.5 mm
Thickness / Height	5.3 mm



BHDS-00-25X36-1-B-24V

Optical Information						
Part Number			BHDS-00-25X36-1-B-24V			
LED Color			BLUE BLUE			
Wavelength	(nm)		460			
Intensity (±15%)	(Lux)	4650	3650	2690		
Working Distance	(mm)	5	10	15		
Illumination (number of row)	()		1			
Illumination Active Area			-			
Active Length / Outer Diameter	(mm)	36				
Active Width / Inner Diameter	(mm)	25				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	(==8.7	.) U				
,						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)			24V ± 2%			
Continuous Current	(mA)	24V ± 2% 20				
Power Consumption	(W)	0.48				
Lighting casing temperature,	1/	0.40				
Operating after 60 minutes	°C		38.9			
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0					
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)	4					
(Constant current power supply)	(mA)	60				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	JS1 SMR-U3V 500				
Pin Configuration :	(111111)	Pin		Cable Color		
riii comiguration .	 	PIN	Signal LED +	RED		
	 	2	N.C.			
	 	3		WHITE		
	 	3	LED -	WHIIE		
Application						
Illumination Type		Backlight Illumination				
Applicattion Use		Lead frame inspection, shape recognition, size measurement.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

