


BHDS-00-25X36-1-R-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	27 g
Length / Outer Diameter	43.5 mm
Width / Inner Diameter	38.5 mm
Thickness / Height	5.3 mm



BHDS-00-25X36-1-R-24V

Optical Information						
Part Number	BHDS-00-25X36-1-R-24V					
LED Color			RED			
	(nm)					
Wavelength		2220.0	620			
Intensity (±15%)	(Lux)	2328.8	1491	1182.86		
Working Distance	(mm)	5	10	15		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)		36			
Active Width / Inner Diameter	(mm)	25				
Emission angle	(deg.)	(deg.) 0				
Eye Safety Class (IEC62471)	EXEMPT					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
	(m 1)					
Continuous Current Power Consumption	(mA) (W)	15				
	(vv)	0.36				
Lighting casing temperature,						
Operating after 60 minutes	°C 52.6					
Strobe Mode Specification						
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	(V) Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
	(mA)	(mA) 45				
(Constant current power supply)						
Max. Trigger Pulse Duration	(msec) 10					
Duty Cycle		0-10%				
Additional lafamostics						
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
nons complained			123			
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :	()	Pin	Signal	Cable Color		
The Configuration .		1	Signal LED +	RED		
				עבט		
		2	N.C.			
		3	LED -	WHITE		
Application						
Illumination Type	Backlight Illumination					
Applicattion Use						
Application use	Lead frame inspection, shape recognition, size measurement.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

