
ILLUMINATOR DATA-ID

## BHDS-00-31X58-1-G-24V

## **Lighting Dimension**



ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	38 g
Length / Outer Diameter	60 mm
Width / Inner Diameter	43.5 mm
Thickness / Height	5.3 mm

**ILLUMINATOR DATA-ID** 

## BHDS-00-31X58-1-G-24V

TMS

Optical Information						
Part Number			BHDS-00-31X58-1-G-24V			
LED Color			GREEN			
Wavelength	(nm)	525				
Intensity (±15%)	(Lux)	3880	3490	2690		
Working Distance	(mm)	5	10	15		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	58				
Active Width / Inner Diameter	(mm)	31				
Emission angle	(deg.)	0				
Eye Safety Class ( IEC62471 )		EXEMPT				
Electrical Information						
Lighting Supply Voltage			2414 - 204			
(constant voltage mode)	1	24V ± 2%				
Continuous Current	(mA) (W)	30				
Power Consumption Lighting casing temperature,	(VV)	0.72				
Operating after 60 minutes	°C					
Operating after 60 minutes	L		40.5			
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
(Constant voltage power supply)	(∨)	Puising at 24	VDC to 48VDC, 0-10% Duty Cycle, Recommended	at 36VDC		
Pulse Current, (Max. 10msec)	(	20				
(Constant current power supply)	(mA)	90				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		Attached to machine part for better heat dissipation ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
	I					
Application						
Illumination Type		Backlight Illumination				
Applicattion Use		Lead frame inspection, shape recognition, size measurement.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



## **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

