


BHDS-00-31X58-1-R-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	38 g
Length / Outer Diameter	60 mm
Width / Inner Diameter	43.5 mm
Thickness / Height	5.3 mm



BHDS-00-31X58-1-R-24V

Optical Information						
Part Number	BHDS-00-31X58-1-R-24V					
LED Color			RED			
Wavelength	(nm)		620			
Intensity (±15%)	(Lux)	1776	1420	1088		
Working Distance	(mm)	5	10	15		
Illumination (number of row)	(111111)	3	1	15		
Illumination Active Area			1			
	(\	(mm) 58				
Active Length / Outer Diameter	(mm)					
Active Width / Inner Diameter	(mm)	31				
Emission angle	(deg.)		0			
Eye Safety Class (IEC62471)	EXEMPT					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	30				
Power Consumption	(W)	0.72				
Lighting casing temperature,	, ,	5.72				
Operating after 60 minutes	°C	54				
	•					
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage		TES				
	(V)	Pulsing at 24	VDC to 48VDC, 0-10% Duty Cycle, Recommend	ed at 36VDC		
(Constant voltage power supply)						
Pulse Current, (Max. 10msec)	(mA)	90				
(Constant current power supply)						
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance	YES					
Notis Compilance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
	(111111)	D:-		Cable Calar		
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED+	RED		
		2	N.C.			
	ļ	3	LED -	WHITE		
Application						
Illumination Type		Backlight Illumination				
Applicattion Use		Lead frame inspection, shape recognition, size measurement.				
	Lead frame inspection, snape recognition, size measurement.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

