


Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	380 g
Length / Outer Diameter	84 mm
Width / Inner Diameter	84 mm
Thickness / Height	40 mm

ILLUMINATOR DATA-ID

BHH-00-070-X-B-24V

TMS

Optical Information						
Part Number			BHH-00-070-X-B-24V			
LED Color			BLUE			
Wavelength	(nm)		470			
Intensity (±15%)	(Lux)	155490	120558	92584		
Working Distance	(mm)	10	20	30		
Illumination (number of row)			Х			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	70				
Active Width / Inner Diameter	(mm)	70				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)			11			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	600				
Power Consumption	(W)	14.4				
Lighting casing temperature,		14.4				
Operating after 60 minutes	°C	68.1				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0					
(Constant voltage power supply)	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	1800				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method						
Intensity Controller Selection		Attached to machine part for better heat dissipation				
CE Conformity		ANG, ST, SD and SDA Series				
RoHS Compliance		YES YES				
Kons compliance	1 1		165			
Connection						
Connector Type (Default):						
Connector Type (Default): Cable Length out from lighting :	(mm)	JST SMR-03V 500				
	(mm)	Pin		Cable Color		
Pin Configuration :		2 Pin 1	Signal LED +	RED		
		2	N.C.			
	<u>}</u> }	3	LED -	WHITE		
		3	LEU -	vvr111E		
Application						
Application Illumination Type			Backlight Illumination			
Application						



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

