


## BHH-00-070-X-R-24V



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	380 g
Length / Outer Diameter	84 mm
Width / Inner Diameter	84 mm
Thickness / Height	40 mm



## BHH-00-070-X-R-24V

Optical Information						
Part Number		BHH-00-070-X-R-24V				
LED Color			RED			
	(nm)		630			
Wavelength		59640		35642		
Intensity (±15%)	(Lux)		46008			
Working Distance	(mm)	10	20	30		
Illumination (number of row) Illumination Active Area			X			
Active Length / Outer Diameter	(mm)					
Active Length / Outer Diameter Active Width / Inner Diameter		70				
	(mm)	70				
Emission angle Eye Safety Class ( IEC62471 )	(deg.)	(deg.) 0  EXEMPT				
ye Jaiety Class (ILCO2471)						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)	1	24V ± 2%				
Continuous Current	(mA)	600				
Power Consumption	(W)	14.4				
Lighting casing temperature,	` ′					
Operating after 60 minutes	°C	°C 71.6				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
(Constant voltage power supply)	(*)	v) Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)	(mA) 1800				
(Constant current power supply)	(IIIA)	(ma)				
Max. Trigger Pulse Duration	(msec)	(msec) 10				
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
	1					
Connection						
Connector Type (Default):	1 1		JST SMR-03V			
Cable Length out from lighting :	(mm)	p.	500	College C		
Pin Configuration :	<b>—</b>	Pin	Signal	Cable Color		
		1	LED+	RED		
	<b> </b>	2	N.C.	NATURE .		
	<b> </b>	3	LED -	WHITE		
Application	Opplijakt III					
Illumination Type Applicattion Use	Backlight Illumination					
Application use	Lead frame inspection, shape recognition, size measurement.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



## **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

