
ILLUMINATOR DATA-ID

BHLQ-00-400X400-X-R-24V

....

TMS

Lighting Dimension



ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	2650 g
Length / Outer Diameter	436 mm X 418 mm
Width / Inner Diameter	26 mm
Thickness / Height	30 mm

ILLUMINATOR DATA-ID

BHLQ-00-400X400-X-R-24V

TMS

Optical Information						
Part Number			BHLQ-00-400X400-X-R-24V			
LED Color			RED			
Wavelength	(nm)	630				
Intensity (±15%)	(Lux)	29252	27832	26696		
Working Distance	(mm)	70	85	100		
Illumination (number of row)	, <i>,</i> ,		X			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	400				
Active Width / Inner Diameter	(mm)	26				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)		EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	3360				
Power Consumption	(W)	80.64				
Lighting casing temperature,						
Operating after 60 minutes	°C	73				
Strobe Mode Specification						
			Vec			
Pulse Operation		YES				
Max. Lighting Supply Voltage	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(•)		Recommended at 36VDC			
Pulse Current, (Max. 10msec)	(mA)		10080			
(Constant current power supply)	(mA)	10050				
Max. Trigger Pulse Duration	(msec)	(msec) 10				
Duty Cycle		0.10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANGX, ST and SD Series				
CE Conformity		YES				
RoHS Compliance		YES				
·	• •					
Connection						
Connector Type (Defauilt):			JST SMR-03V			
Connector Type (Default): Cable Length out from lighting :	(mm)		500			
	(1111)	Pin		Cable Color		
Pin Configuration :		1	Signal LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
			_			
Application						
Illumination Type		Diffused Illumination				
Applicattion Use		Robotic picking, identification & missing part, measurement, shape recognition				
		Autobule picking, identification & missing part, measurement, snape recognition				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

