


Lighting Dimension

EMITTING AREA-





ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	30 g
Length / Outer Diameter	59 mm
Width / Inner Diameter	28 mm
Thickness / Height	13.6 mm

ILLUMINATOR DATA-ID

BHS4-00-025-X-G-24V

TMS

Optical Information						
Part Number			BHS4-00-025-X-G-24V			
LED Color			GREEN			
Wavelength	(nm)	525				
Intensity (±15%)	(Lux)	TBA	TBA	TBA		
Working Distance	(mm)	10	20	30		
Illumination (number of row)			Х			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	25				
Active Width / Inner Diameter	(mm)	25				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)		EXEMPT				
Electrical Information						
Linkeling Council Malkana						
Lighting Supply Voltage			2414 + 294			
(constant voltage mode)	(=: ^)	24V ± 2%				
Continuous Current	(mA)	24				
Power Consumption	(W)	0.576				
Lighting casing temperature, Operating after 60 minutes	°C	39.7				
	Ľ	39.7				
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC				
		Recommended at SOVDC				
Pulse Current, (Max. 10msec) (Constant current power supply)	(mA)	72				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		Accelerate of Meeting part of Decent Heat dissipation				
CE Conformity		YES				
RoHS Compliance		YES				
			120			
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
Illumination Type		Backlight Illumination				
Applicattion Use		Lead frame inspection, shape recognition, size measurement				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

