


## BHS4-00-025-X-R-24V

## **Lighting Dimension**





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	30 g
Length / Outer Diameter	59 mm
Width / Inner Diameter	28 mm
Thickness / Height	13.6 mm



## BHS4-00-025-X-R-24V

Optical Information						
Part Number		BHS4-00-025-X-R-24V				
LED Color			RED			
Wavelength	(nm)		630			
Intensity (±15%)	(Lux)	4288.4	2485	1519.4		
Working Distance	(mm)	10	20	30		
Illumination (number of row)	(111111)	10	X	30		
Illumination (number of row)			^			
	()		25			
Active Length / Outer Diameter	(mm)	25				
Active Width / Inner Diameter	(mm)	25				
Emission angle	(deg.)	0				
Eye Safety Class ( IEC62471 )		EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)			24V ± 2%			
Continuous Current	(mA)	60				
Power Consumption	(M)					
Lighting casing temperature,	(**)	1.44				
Operating after 60 minutes	°c	42.2				
Operating after 60 minutes	, c		43.2			
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)		Recommended at 36VDC			
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	180				
Max. Trigger Pulse Duration	(mcoc)	10				
	(msec)	(msec) 10 0-10%				
Duty Cycle			0-10%			
Additional Information						
Additional Cooling Method		^+		-		
	_	Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	\ <i>\</i>	Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	N.C. LED -	WHITE		
		3	LED -	wniit		
			60			
Application						
			Backlight Illumination			
Application  Illumination Type  Applicattion Use		Lead frame	Backlight Illumination inspection, shape recognition, size measurement			



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



## **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

