


BHS4-00-075-X-R-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	100 g
Length / Outer Diameter	109 mm
Width / Inner Diameter	78 mm
Thickness / Height	13.6 mm



BHS4-00-075-X-R-24V

Optical Information							
Part Number	BHS4-00-075-X-R-24V						
LED Color			RED				
	()						
Wavelength	(nm)	630					
Intensity (±15%)	(Lux)	16800	13440	10560			
Working Distance	(mm)	10	20	30			
Illumination (number of row)			X				
Illumination Active Area							
Active Length / Outer Diameter	(mm)		75				
Active Width / Inner Diameter	(mm)	m) 75					
Emission angle	(deg.)	(deg.) 0					
Eye Safety Class (IEC62471)	EXEMPT						
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)		24V ± 2%					
Continuous Current	(mA)	216					
Power Consumption	(W)	5.184					
Lighting casing temperature,	(44)	(14) 5.184					
Operating after 60 minutes	°C						
operating after 60 minutes	C	*C 62.6					
Strobe Mode Specification							
Dulas Onesakies			YES				
Pulse Operation							
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle					
(Constant voltage power supply)	(-7		Recommended at 36VDC				
Pulse Current, (Max. 10msec) (Constant current power supply)	(mA)	(mA) 648					
Max. Trigger Pulse Duration	(msec) 10						
Duty Cycle	0.10%						
Additional Information							
Additional Cooling Method	Attached to machine part for better heat dissipation						
Intensity Controller Selection	ANG, ST, SD and SDA Series						
CE Conformity	YES						
RoHS Compliance	YES						
·							
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)		500				
Pin Configuration :		Pin	Signal	Cable Color			
		1	LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
			EED	WITTE			
Application							
Illumination Type	Backlight Illumination						
Applicattion Use		Lead frame inspection, shape recognition, size measurement					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

