


BHS4-00-090-X-B-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	200 g
Length / Outer Diameter	124 mm
Width / Inner Diameter	93 mm
Thickness / Height	13.6 mm



BHS4-00-090-X-B-24V

Optical Information						
Part Number	BHS4-00-090-X-B-24V					
LED Color			BLUE			
	()					
Wavelength	(nm)	TBA	470			
Intensity (±15%)	(Lux)		TBA	TBA		
Working Distance	(mm)	10	20	30		
Illumination (number of row)			X			
Illumination Active Area						
Active Length / Outer Diameter	(mm)		90			
Active Width / Inner Diameter	(mm)	n) 90				
Emission angle	(deg.)	(deg.) 0				
Eye Safety Class (IEC62471)	п					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	162				
Power Consumption	(W)					
Lighting casing temperature,	(44)	(W) 3.88				
Operating after 60 minutes	°C	°C TBA				
operating after 00 minutes	C	1BA				
Strobe Mode Specification						
Dulas Onesakies			YES			
Pulse Operation						
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(-7		Recommended at 36VDC			
Pulse Current, (Max. 10msec) (Constant current power supply)	(mA)	(mA) 486				
Max. Trigger Pulse Duration	(msec) 10					
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method	Attached to machine part for better heat dissipation					
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
·						
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED+	RED		
		2	N.C.			
		3	LED -	WHITE		
				Willie		
Application						
Illumination Type	Backlight Illumination					
Applicattion Use		Lead frame inspection, shape recognition, size measurement				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

