


CAS2-00-010-X-G-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	120 g
Length / Outer Diameter	77.4 mm
Width / Inner Diameter	29 mm
Thickness / Height	36 mm



CAS2-00-010-X-G-24V

Optical Information						
Part Number		CAS2-00-010-X-G-24V				
LED Color			GREEN			
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	2770 1380 885				
Working Distance	(mm)	10	20	30		
Illumination (number of row)	(,		X			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	18				
Active Width / Inner Diameter	(mm)	18				
Emission angle	(deg.)		0			
Eye Safety Class (IEC62471)	(deg.)		EXEMPT			
Lyc soriety class (IEEEE 17 2)			E-AL-FFF F			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	130				
Power Consumption	(W)	3.12				
Lighting casing temperature,	` ′	unde.				
Operating after 60 minutes	°C		53.3			
Strobe Mode Specification			NEO.			
Pulse Operation		YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24	VDC to 48VDC, 0-10% Duty Cycle, Recommend	ed at 36VDC		
(Constant voltage power supply)	(-/					
Pulse Current, (Max. 10msec)	(mA)	390				
(Constant current power supply)	(ma)		390			
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle		0-10%				
Additional Information						
Additional information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	,,	Pin	Signal	Cable Color		
<u> </u>		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		3	LED-	vv:IIIL		
Application						
Illumination Type		Coaxial Illumination				
Applicattion Use		Surface inspection and alignment, wafer, metal surface, film, LCD and glass, pattern on PCB.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

