
**ILLUMINATOR DATA-ID** 

## CAS2-00-025-X-IR850-24V

## **Lighting Dimension**

TMS



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	82 g
Length / Outer Diameter	54 mm
Width / Inner Diameter	33 mm
Thickness / Height	33 mm

**ILLUMINATOR DATA-ID** 

## CAS2-00-025-X-IR850-24V

TMS

Optical Information						
Part Number		CAS2-00-025-X-IR850-24V				
LED Color			IR			
Wavelength	(nm)		850			
Intensity (±15%)	(Lux)					
Working Distance	(mm)	NA				
Illumination (number of row)		X				
Illumination Active Area						
Active Length / Outer Diameter	(mm)	nm) 25				
Active Width / Inner Diameter	(mm)	25.6				
Emission angle	(deg.)	0				
Eye Safety Class ( IEC62471 )			EXEMPT			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	160				
Power Consumption	(W)	3.84				
Lighting casing temperature,	,					
Operating after 60 minutes	°C	°C 68.3				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)		Recommended at 36VDC			
		Kecommended at sovuc				
Pulse Current, (Max. 10msec)	(mA)	480				
(Constant current power supply)	(mana)					
Max. Trigger Pulse Duration Duty Cycle	(msec)	(msec) 10 0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection						
CE Conformity		ANG, ST, SD and SDA Series				
RoHS Compliance		YES				
			125			
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	· · /	Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		-				
Application						
Illumination Type		IR Illumination				
Applicattion Use		General illumination, label inspection, character illumination, code recognition				
Application use		General munimation, laber inspection, character munimation, code recognition				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



## **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

