


ILLUMINATOR DATA-ID

CAS2-00-040-X-G-24V

Lighting Dimension





Mechanical Information	
Wiechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
	remp o no cyntamianty no corre
Weight	360 g
Length / Outer Diameter	107.5 mm
Width / Inner Diameter	60 mm
Thickness / Height	66 mm



CAS2-00-040-X-G-24V

Optical Information						
Part Number	CAS2-00-040-X-G-24V					
LED Color		GREEN				
Wavelength	(nm)	525				
Intensity (±15%)	(Lux)	11100	7860	4530		
Working Distance	(mm)	20	30	50		
Illumination (number of row)			X			
Illumination Active Area						
Active Length / Outer Diameter	(mm)					
Active Width / Inner Diameter	(mm)	48				
Emission angle	(deg.)		0 EXEMPT			
Eye Safety Class (IEC62471) EXEMPT						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)			24V ± 2%			
Continuous Current	(mA)	350				
Power Consumption	(W)	8.4				
Lighting casing temperature,	_					
Operating after 60 minutes	°C		57.5			
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
(Constant voltage power supply)	(•)	Taising at 24 voc to 40 voc, 0-10/0 buty cycle, Neconintended at 30 voc				
Pulse Current, (Max. 10msec)	(mA)	1050				
(Constant current power supply)						
Max. Trigger Pulse Duration	(msec)					
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance	YES					
Connection						
Connector Type (Default):	, ,	JST SMR-03V				
Cable Length out from lighting :	(mm)	5:	500			
Pin Configuration :		Pin	Signal	Cable Color		
		2	LED + N.C.	RED 		
		3	N.C. LED -	 WHITE		
		3	בנטי	VVIIIL		
Application						
Illumination Type		Coaxial Illumination				
Applicattion Use		Surface inspection and alignment, wafer, metal surface, film, LCD and glass, pattern on PCB.				
Application osc						



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

