
**ILLUMINATOR DATA-ID** 

## CAS3-00-150-X-B-24V

TMS

#### **Lighting Dimension**



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	2000 g
Length / Outer Diameter	217.5 mm
Width / Inner Diameter	160 mm
Thickness / Height	160.4 mm

# **ILLUMINATOR DATA-ID**

## CAS3-00-150-X-B-24V

TI

Optical Information						
Part Number			CAS3-00-150-X-B-24V			
LED Color			BLUE			
Wavelength	(nm)	470				
Intensity (±15%)	(Lux)	1085.4	976.05	869.4		
Working Distance	(mm)	100	110	120		
Illumination (number of row)			Х			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	150				
Active Width / Inner Diameter	(mm)	150				
Emission angle	(deg.)	0				
Eye Safety Class ( IEC62471 )		l				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	891				
Power Consumption	(W)	21.38				
Lighting casing temperature,						
Operating after 60 minutes	°C	53.9				
Strake Made Specification						
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage	(V)					
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(	2673				
(Constant current power supply)	(mA)	2673				
Max. Trigger Pulse Duration	(msec)	c) 10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANGX, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
·	· ·					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		5		WINE		
Application						
Weinster Terre		Casada III. Stratter				
Illumination Type		Coaxial Illumination				
Applicattion Use		Surface inspection and alignment, wafer, metal surface, film, LCD and glass, pattern on PCB.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



### **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

