


ILLUMINATOR DATA-ID

CAS3-00-200-X-R-24V

Lighting Dimension





Mechanical Information			
Casing Material	Aluminium		
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%		
Weight	3200 g		
Length / Outer Diameter	260.5 mm		
Width / Inner Diameter	219 mm		
Thickness / Height	213 mm		



ILLUMINATOR DATA-ID

CAS3-00-200-X-R-24V

Optical Information						
Part Number			CAS3-00-200-X-R-24V			
LED Color			RED			
Wavelength	(nm)		630			
Intensity (±15%)	(Lux)	3348 3078 2862				
Working Distance	(mm)	100	110	120		
Illumination (number of row)	()	100	X	150		
Illumination Active Area						
Active Length / Outer Diameter	(mm)	200				
Active Width / Inner Diameter	(mm)	200				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	(==8.7	EXEMPT				
, , , , , , , , , , , , , , , , , , , ,						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	1350				
Power Consumption	(W)	32.4				
Lighting casing temperature,	T '	52.4				
Operating after 60 minutes	°C	65.1				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	4752				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(msee)	0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANGX, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED+	RED		
		2	N.C.			
		3	LED -	WHITE		
		Mr.				
Application						
Illumination Type		Coaxial Illumination				
Applicattion Use		Surface inspection and align	ment, wafer, metal surface, film, LCD and glass,	pattern on PCB.		



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

