


DLQ2-90-030-1-R-24V

Lighting Dimension





Mechanical Information				
Casing Material	Aluminium			
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%			
Weight	50g			
Length / Outer Diameter	31.6 X 31.6 mm			
Width / Inner Diameter	10 X 10 mm			
Thickness / Height	32.5 mm			



DLQ2-90-030-1-R-24V

Optical Information						
Part Number	DLQ2-90-030-1-R-24V					
LED Color						
Wavelength	(nm)	RED COO				
Intensity (±15%)	(Lux)	630 4940 2760 2030				
Working Distance	(mm)	5	10	15		
Illumination (number of row)	(111111)	3	1	15		
Illumination Active Area			1			
Active Length / Outer Diameter	(mm)		15.6			
Active Width / Inner Diameter			15.6			
Emission angle Eye Safety Class (IEC62471)	(deg.) 90 EXEMPT					
Exemple Construction (Construction)						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)					
Power Consumption	(W)					
Lighting casing temperature,	(***)	1.555				
Operating after 60 minutes	°C	°C 51.5				
operating area of minutes	31.3					
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage		Pulsing at 24VDC to 49VDC 0.10% Duty Cycle				
(Constant voltage power supply)	(V)	(V) Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)					
(Constant current power supply)	, , , , , , , , , , , , , , , , , , ,					
Max. Trigger Pulse Duration	(msec) 10					
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method	Attached to machine part for better heat dissipation					
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
Connection						
- (a (b)		IN OLD ONL				
Connector Type (Default):	/ \	JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED+	RED		
		2	N.C.			
	-	3	LED -	WHITE		
Application						
Illumination Type	Diffused Illumination					
Applicattion Use	BGA ball inspection and QFP lead inspection					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

