


DLQ2-90-070-1-G-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	150g
Length / Outer Diameter	76.2mm
Width / Inner Diameter	20 mm
Thickness / Height	32.5 mm



DLQ2-90-070-1-G-24V

Optical Information						
Part Number			DLQ2-90-070-1-G-24V			
LED Color		GREEN				
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	TBA TBA TBA				
Working Distance	(mm)	8	13	18		
Illumination (number of row)	()	Ü	1	10		
Illumination Active Area			<u>*</u>			
Active Length / Outer Diameter	(mm)		73.5			
Active Width / Inner Diameter						
	(mm)					
Emission angle Eye Safety Class (IEC62471)	(deg.)		90 EXEMPT			
Sye Jailety Class (IECO24/1)						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)			24V ± 2%			
	(m ^)					
Continuous Current	(mA)	180				
Power Consumption	(W)	4.32				
Lighting casing temperature,		ТВА				
Operating after 60 minutes	°C	°C				
Strobe Mode Specification						
-						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)		Recommended at 36VDC			
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	(mA) 240				
Max. Trigger Pulse Duration	(msec)	(msec) 10				
Duty Cycle	(msec) 10 0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		<u> </u>				
Application						
Illumination Type		Diffused Illumination				
Applicattion Use		BGA ball inspection and QFP lead inspection				
	BOA bair inspection and Qr1 read inspection					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

