


## DLQ2-90-100-1-R-24V

## **Lighting Dimension**





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	220g
Length / Outer Diameter	101.6
Width / Inner Diameter	20
Thickness / Height	32.5



## DLQ2-90-100-1-R-24V

Optical Information						
Part Number		DLQ2-90-100-1-R-24V				
LED Color			RED			
	(nm)					
Wavelength		620 TBA TBA TBA				
Intensity (±15%)	(Lux)		TBA			
Working Distance	(mm)	5	10	15		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)					
Active Width / Inner Diameter	(mm)					
Emission angle	(deg.)	(deg.) 90				
Eye Safety Class ( IEC62471 )	EXEMPT					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)					
Power Consumption	(W)	(W) 5.76				
Lighting casing temperature,						
Operating after 60 minutes	°C 43.3					
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC 0.10% Duty Cycle				
(Constant voltage power supply)	(V)	(V) Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA) 720					
(Constant current power supply)						
Max. Trigger Pulse Duration	(msec) 10					
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method	Attached to machine part for better heat dissipation					
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	, <i>,</i>	Pin	Signal	Cable Color		
0. 2.2		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		3	LED -	VVIIIIE		
Application						
Illumination Type	Diffused Illumination					
Applicattion Use	BGA ball inspection and QFP lead inspection					
	BOA DAII IIISPECLION AND QFY lead Inspection					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



## **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

