


Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	535 g
Length / Outer Diameter	176.6 mm
Width / Inner Diameter	111 mm
Thickness / Height	29.6 mm

ILLUMINATOR DATA-ID

HPD-00-170-1-G-24V

Optical Information						
Part Number			HPD-00-170-1-G-24V			
LED Color		GREEN				
Wavelength	(nm)	525				
Intensity (±15%)	(Lux)	TBA	TBA	TBA		
Working Distance	(mm)	90	100	110		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	111				
Active Width / Inner Diameter	(mm)	162.2				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)		EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	750				
Power Consumption	(W)	18				
Lighting casing temperature,						
Operating after 60 minutes	°C	43.7				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0					
(Constant voltage power supply)	(∨)	Puising a	t 24VDC to 48VDC, 0-10% Duty Cycle, Recommen	ded at 36VDC		
Pulse Current, (Max. 10msec)	(
(Constant current power supply)	(mA)	2250				
Max. Trigger Pulse Duration	(msec)	(msec) 10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
	i i					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	,,	Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
			· ·	•		
Application						
Illumination Type		Indirect Illumination				
Applicattion Use		Shining surface and food packaging				
Application Use		Smining surface and Tood packaging				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

