


HPD-00-240-1-G-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	1180 g
Length / Outer Diameter	245 mm
Width / Inner Diameter	158.5 mm
Thickness / Height	38 mm



HPD-00-240-1-G-24V

Optical Information						
Part Number			HPD-00-240-1-G-24V			
LED Color			GREEN			
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	TBA TBA TBA				
Working Distance	(mm)	90	100	110		
Illumination (number of row)	()	30	1	110		
Illumination Active Area			1			
Active Length / Outer Diameter	(mm)	(mm) 225				
Active Width / Inner Diameter	(mm)		158.5			
Emission angle	(deg.)	(deg.) 0				
Eye Safety Class (IEC62471)			EXEMPT			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
	(mA)					
Continuous Current	(mA)	1190				
Power Consumption	(W)	28.56				
Lighting casing temperature,						
Operating after 60 minutes	, €	°C 43.4				
Strobe Mode Specification						
Dulas Casastian			VEC			
Pulse Operation		YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
(Constant voltage power supply)	(-)	1 0.511.6 0.7 2	True to 10120, o 1070 Buty Cyale, Necommend			
Pulse Current, (Max. 10msec)	(mA)	3570				
(Constant current power supply)	(IIIA)	(A)				
Max. Trigger Pulse Duration	(msec)	(msec) 10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection	ANGX, ST, SD and SDA Series					
CE Conformity		YES				
RoHS Compliance	YES					
·						
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
Illumination Type		Indirect Illumination				
Applicattion Use		Shining surface and food packaging				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

