


Lighting Dimension



ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	750 g
Length / Outer Diameter	163 mm
Width / Inner Diameter	227.2
Thickness / Height	131.5 mm

ILLUMINATOR DATA-ID

IDT3-00-200-1-G-24V

TMS

Optical Information							
Part Number			IDT3-00-200-1-G-24V				
LED Color			GREEN				
Wavelength	(nm)		525				
Intensity (±15%)	(Lux)	TBA	TBA	TBA			
Working Distance	(mm)	40	50	60			
Illumination (number of row)			1				
Illumination Active Area							
Active Length / Outer Diameter	(mm)	147					
Active Width / Inner Diameter	(mm)	126					
Emission angle	(deg.)	0					
Eye Safety Class (IEC62471)		EXEMPT					
Electrical Information							
Liebting Currely Velters							
Lighting Supply Voltage			24V ± 2%				
(constant voltage mode) Continuous Current	(mA)	400					
Power Consumption	(mA) (W)	9.6					
	(**)	9.6					
Lighting casing temperature, Operating after 60 minutes	°C	тва					
operating arter of minutes	Ľ						
Strobe Mode Specification							
Pulse Operation			YES				
Max. Lighting Supply Voltage	(∨)		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(*)		Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)		1200				
(Constant current power supply)	(IIIA)						
Max. Trigger Pulse Duration	(msec)						
Duty Cycle		0-10%					
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG, ST, SD and SDA Series					
CE Conformity		YES					
RoHS Compliance		YES					
	· · ·						
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)		500				
Pin Configuration :	, <i>,</i> ,	Pin	Signal	Cable Color			
		1	LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
			· ·				
Application							
Illumination Type		Indirect Illumination					
Applicattion Use		Crack, chip, stains and mark on cylindrical surface or shafts.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

