


BHS4-00-050-X-IR850-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	80 g
Length / Outer Diameter	84 mm
Width / Inner Diameter	53 mm
Thickness / Height	13.6 mm



BHS4-00-050-X-IR850-24V

Optical Information						
Part Number			BHS4-00-050-X-IR850-24V			
LED Color			IR			
Wavelength	(nm)		850			
Intensity (±15%)	(Lux)		NA			
Working Distance	(mm)					
Illumination (number of row)						
Illumination Active Area	X					
Active Length / Outer Diameter	(mm)		50			
Active Length / Outer Diameter Active Width / Inner Diameter						
	(mm)		50 0			
Emission angle Eye Safety Class (IEC62471)	(deg.)	(deg.) 0 EXEMPT				
Eye Salety Class (IEC02471)	l		EACIVIPT			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)			24V ± 2%			
Continuous Current	(mA)	-0.				
Power Consumption	(MA) (W)	(mA) 96 (W) 2.304				
Lighting casing temperature,	(44)	(**) 2.304				
Operating after 60 minutes	°C		TBA			
operating after 00 minutes		TBA				
Strobe Mode Specification						
		I	VIEW .			
Pulse Operation		YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	` '		Recommended at 36VDC			
Pulse Current, (Max. 10msec)	(mA)	(mA) 288				
(Constant current power supply)						
Max. Trigger Pulse Duration	(msec) 10					
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
Illumination Type	Backlight Illumination					
Applicattion Use		Lead frame inspection, shape recognition, size measurement				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

