


HLBS2-00-130-1-G-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	89 g
Length / Outer Diameter	133 mm
Width / Inner Diameter	20.2 mm
Thickness / Height	19.8 mm



ILLUMINATOR DATA (ID)

HLBS2-00-130-1-G-24V

Optical Information							
Part Number			HLBS2-00-130-1-G-24V				
LED Color			GREEN				
Wavelength	(nm)		525				
Intensity (±15)	(Lux)	TBA					
Working Distance	(mm)	200	220	250			
Illumination (number of row)	, ,		1				
Illumination Active Area							
Active Length / Outer Dia.	(mm)		131				
Active Width / Inner Dia.	(mm)	10.3					
Emission angle	(deg.)	0					
Eye Safety Class (IEC62471)							
*CHROMATICITY TABLE							
Electrical Information							
Lighting Sunnly Voltage							
Lighting Supply Voltage (constant voltage mode)			24V ± 2%				
Continuous Current	(mA)	24V ± 2% 160					
Power Consumption	(W)	3.84					
Lighting casing temperature,	(**)	3.04					
Operating after 60 minutes	°C		TBA				
operating arter of minutes		C IBA					
Strobe Mode Specification							
Pulse Operation			YES				
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle					
(Constant voltage power supply)	(V)	Recommended at 36VDC					
Pulse Current, (Max. 10msec)							
(Constant current power supply)	(mA)	480					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle	(III3CC)	0-10%					
		ı					
Additional Information							
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANGX, SD, ST & SDA Series					
CE Conformity		YES					
RoHS Compliance		YES					
Connection							
Connector Type (Default):		I	ICT CMD COV				
Cable Length out from lighting :	(pa ma)		JST SMR-03V 500				
Pin Configuration :	(mm)	Pin	500 Signal	Cable Color			
rin comgulation .		1 1	Signal LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
	l 	, , , , , , , , , , , , , , , , , , ,	LLD	WITTE			
		(**)					
		I					
Application							
Illumination Type		Direct Illumination					
Application Use		Label Inspection, Character Inspection, Code Recognition					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

