
ILLUMINATOR DATA-ID

LBRX-00-040-3-B-24V

TMS

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	50 g
Length / Outer Diameter	52 mm
Width / Inner Diameter	24.5 mm
Thickness / Height	22 mm

ILLUMINATOR DATA-ID

LBRX-00-040-3-B-24V

TMS

Optical Information						
Part Number			LBRX-00-040-3-B-24V			
LED Color			BLUE			
Wavelength	(nm)	470				
Intensity (±15%)	(Lux)	5720	4730	3990		
Working Distance	(mm)	80	90	100		
Illumination (number of row)			3			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	40				
Active Width / Inner Diameter	(mm)	17.3				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)		II.				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	42				
Power Consumption	(W)	1.01				
Lighting casing temperature,						
Operating after 60 minutes	°C	39.3				
Strobe Mode Specification						
Pulse Operation	1	YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	Pulsing at 24	/DC to 48VDC, 0-10% Duty Cycle, Recommend	ed at 36VDC		
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	126				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(Insec)	0-10%				
Buty cycle			0 10/0			
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		Attached to machine part for better near dissipation ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
			125			
Connection						
Connector Type (Default):	-					
Connector Type (Default): Cable Length out from lighting :	(mm)	JST SMR-03V 500				
Pin Configuration :	(mm)	Pin	Signal	Cable Color		
in configuration.		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		J	220-	WITTE		
Application						
Illumination Type		Direct Illumination				
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

