


## **ILLUMINATOR DATA-ID**

## LBRX-00-040-3-G-24V



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	50 g
Length / Outer Diameter	52 mm
Width / Inner Diameter	24.5 mm
Thickness / Height	22 mm



## LBRX-00-040-3-G-24V

Optical Information						
Part Number			LBRX-00-040-3-G-24V			
LED Color		GREEN				
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	6340 5310 4490				
Working Distance	(mm)	80	90	100		
Illumination (number of row)	(,		3			
Illumination Active Area						
Active Length / Outer Diameter	(mm)		40			
Active Width / Inner Diameter	(mm)	17.3				
Emission angle	(deg.)					
Eye Safety Class ( IEC62471 )	(ueg.)	EXEMPT				
eye sairety class ( 12002471 )			EXEMIT			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)					
Power Consumption	(MA)	42				
	(44)	1.01				
Lighting casing temperature, Operating after 60 minutes						
Operating after 60 minutes	_ C	*C 39.3				
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage	<del> </del>	IL3				
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)	126				
(Constant current power supply)						
Max. Trigger Pulse Duration	(msec)					
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
·						
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		-	· ·	···-		
Application						
Illumination Type		Direct Illumination				
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



## **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

