
**ILLUMINATOR DATA-ID** 

### LBRX-00-200-6-R-24V

TMS

#### **Lighting Dimension**



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	210 g
Length / Outer Diameter	212 mm
Width / Inner Diameter	31.5 mm
Thickness / Height	22 mm

# **ILLUMINATOR DATA-ID**

## LBRX-00-200-6-R-24V

TI

Optical Information						
Part Number			LBRX-00-200-6-R-24V			
LED Color	()	RED				
Wavelength	(nm)	13400	630 10200	8640		
Intensity (±15%) Working Distance	(Lux) (mm)	13400	130	150		
Illumination (number of row)	(1111)	100	6	150		
Illumination Active Area			0			
Active Length / Outer Diameter	(mm)	200				
Active Width / Inner Diameter	(mm)	26.3				
Emission angle	(deg.)	0				
Eye Safety Class ( IEC62471 )	(ucg.)	EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	390				
Power Consumption	(W)	9.36				
Lighting casing temperature,						
Operating after 60 minutes	°C	64.3				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
(Constant voltage power supply)	(*)	Fuising at 24	voe to 48vbe, 0-10% buty cycle, Recommended			
Pulse Current, (Max. 10msec)	(mA)	1170				
(Constant current power supply)	(mA)	1170				
Max. Trigger Pulse Duration	(msec)	sec) 10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
Illumination Type		Direct Illumination				
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



### **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

