


Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	40 g
Length / Outer Diameter	59 mm
Width / Inner Diameter	24 mm
Thickness / Height	18 mm

ILLUMINATOR DATA (ID)

LBS25-00-050-3-R-24V

TMS

Optical Information						
Part Number			LBS25-00-050-3-R-24V			
LED Color			RED			
Wavelength	(nm)		630			
Intensity (±15)	(Lux)	13500	11800	10100		
Working Distance	(mm)	80	90	100		
Illumination (number of row)			3			
Illumination Active Area						
Active Length / Outer Dia.	(mm)	50				
Active Width / Inner Dia.	(mm)	19.4				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)		EXEMPT				
Electrical Information						
Lighting Supply Voltage			2411 - 201			
(constant voltage mode)	(4)	24V ± 2%				
Continuous Current	(mA)	90				
Power Consumption	(W)	2.16				
Lighting casing temperature, Operating after 60 minutes	°C		48.9			
Operating arter of minutes	L.		40.7			
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(∨)	Puising at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	270				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(IIISEC)	(msec) 10 0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD & SDA Series				
CE Conformity		YES				
RoHS Compliance			YES			
Connection						
Connector Type (Default):			JST SMR-03V			
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
Illumination Type		Direct Illumination				
Application Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

