
LBS40-00-080-3-G-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	60 g
Length / Outer Diameter	89 mm
Width / Inner Diameter	24 mm
Thickness / Height	18 mm

LBS40-00-080-3-G-24V

Optical Information							
Part Number			LBS40-00-080-3-G-24V				
LED Color			GREEN				
Wavelength	(nm)		525				
Intensity (±15)	(Lux)	TBA					
Working Distance	(mm)	80	90	100			
Illumination (number of row)	()	35	3	100			
Illumination Active Area							
Active Length / Outer Dia.	(mm)	(mm)					
Active Length / Outer Dia. Active Width / Inner Dia.		80					
Emission angle	(mm)		19.4				
	(deg.)	0 EVENDT					
Eye Safety Class (IEC62471)			EXEMPT				
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)			24V ± 2%				
Continuous Current	(mA)		150				
Power Consumption	(W)		3.6				
Lighting casing temperature,	(44)		5.6				
Operating after 60 minutes	°C	1	TDA				
Operating after 60 minutes	°C TBA						
Strobe Mode Specification							
Pulse Operation			YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle					
(Constant voltage power supply)	` '		Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)	450					
(Constant current power supply)	(IIIA)	430					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle	0-10%						
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG,ST,SD AND SDA SERIES					
CE Conformity		YES					
RoHS Compliance		YES					
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)	500					
Pin Configuration :	. ,	Pin	Signal	Cable Color			
0		1	LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
		3	1 220 -	I IIF.vv			
Application							
Illumination Type		Direct Illumination					
Application Use	General illumination, label inspection, character inspection						
	·	, and the second					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

